

SECURE EVERY CHALLENGE™



TRUCK STORAGE EQUIPMENT

THE FUTURE OF TRUCK BOXES IS HERE.





Your truck and tools are everything to your livelihood. That's why real pros know there's only one name they can trust, WEATHER GUARD[®]. The new line of WEATHER GUARD[®] truck boxes convert your truck into a sleek mobile fortress, with superior anti-theft construction and locks able to withstand any weather condition or attempted theft.

SECURE EVERY CHALLENGE.™

TABLE OF CONTENTS

WEATHER GUARD® TRUCK BOXES

Saddle Boxes4
Lo-Side Boxes6
Hi-Side Boxes8
Super-Side Boxes10
Gull Wing Boxes11
All-Purpose Chests12
Wheel Well Boxes14
Truck Box Accessories15
Truck Box Fitment Guide16
BED-RAIL MOUNTED SOLUTIONS
Aluminum Headache Rack

rvice Body Ladder Racks	23
cessories	
EEKENDER® Truck Rack	25
uck Rack Fit Guide	26
eel Cab Protectors and Accessories	27
-BED STORAGE SOLUTIONS	
NCK RAT® Drawer Units	
ansfer Tanks/Accessories	30
NDERBED BOXES	
eel Underbed Boxes	
uminum Underbed Boxes	33
DTES	34



Se Ac W Tr St

P/ Tr

St Al

OPEN THE BOX LID 6 INSERT THE KEY

1

Code multiple boxes on a truck or entire fleet to the same key



ROTATE KEY A FULL 3/4 OF A CIRCLE

2

During key coding, there WILL be resistance. Continue through rotation.



REMOVE KEY

3



The lock is now permanently coded. Make sure to register your key code.

UNMATCHED PROTECTION SADDLE BOXES



LIFETIME LIMITED

weather quare

WEATHER GUARD® IS THE ULTIMATE IN PROTECTION OF SADDLE BOXES

Like you, WEATHER GUARD® Saddle Boxes keep getting better and better. Now with more options and features than ever. Like industry-leading security with our exclusive tamper-resistant EXTREME PROTECTION® LOCK. WEATHER GUARD® Saddle Boxes are the most popular truck storage option due to ease of installation, maximum bed clearance, and of course legendary durability. Constructed of either steel or aluminum diamond plate and finished with an ARMOR TUF® Powder Coat that lasts for years and looks great.



THE ULTIMATE IN PROTECTION

Maximum Durability

- 1 ONE KEY CODING Code multiple boxes on one truck or an entire fleet to work with the same key
- 2 TOP SECURITY PROTECTION Automotive-grade lock-andlatching system
- 3 RED PUSH BUTTON LOCK See when your box is locked or unlocked for peace of mind
- 4 LONG HAUL DURABILITY ARMOR TUF® powder coat for long-lasting performance and looks
- 5 SUPERIOR WEATHER RESISTANCE Precision fit weather stripping for tight seal
- 6 ENHANCED ATTACHMENT POINTS Wide clearance and added rivets for more straps and reinforced anchor points



TRUCK BOXES - SADDLE





UNMATCHED PROTECTION



QUICK ACCESS FROM THE BEDRAILS

WEATHER GUARD[®] Lo-Side Boxes mount over the bedrails of your truck and keep critical tools and parts at your fingertips. Their easy installation utilizes mounting brackets that do not require drilling into the rails. The design and location on the truck bed aren't the only attributes that keep you productive—you can get inside with just one hand using an automotive-style latch. The durable Lo-Side is available in steel and diamond plate aluminum protected by an ARMOR TUF[®] Powder Coat finish. The Lo-Side from WEATHER GUARD[®] can also be used separately or in combination with Cross Boxes or Saddle Boxes.




LO-SIDE BOXES KEY FEATURES

- ONE KEY CODING Code multiple boxes on one truck or an entire fleet to work with the same key
- 2 TOP SECURITY PROTECTION Automotive-grade lock-andlatching system
- 3 RED PUSH BUTTON LOCK See when your box is locked or unlocked for peace of mind
- 4 LONG HAUL DURABILITY ARMOR TUF[®] powder coat for long-lasting performance and looks
- 5 SUPERIOR WEATHER RESISTANCE Precision fit weather stripping for tight seal
- 6 ENHANCED ATTACHMENT POINTS Wide clearance and added rivets for more straps and reinforced anchor points





UNMATCHED PROTECTION HI-SIDE BOXES



ADDING STORAGE WHILE PRESERVING BED SPACE

WARRANTY

Even the best can get better. That's why we keep pushing our engineers to top themselves. And so they have. Now our class-leading WEATHER GUARD® Hi-Side Truck Boxes deliver even greater protection from the elements, from vandalism. WEATHER GUARD[®] Hi-Sides are built to outlast the competition, just like you-hardworking construction pros, skilled tradespeople, field service and municipal workers who need quick access to valuable tools, equipment and parts while keeping the truck bed open for supplies. You never stop. Neither do we.

WARNING

Hi-Side Boxes cannot be installed to truck racks. Support legs included with box is required for installation.

weather quard.




HI-SIDE BOXES KEY FEATURES

- **Drill resistant lock core** helps protect against break-ins
- 2 Gutter design channels rain and snow off box to keep contents dry
- **3 Removable parts bin** keeps small items organized
- 4 **Tool-less quick release doors** adjust from 90° to 180° with QuickClips, no tools required
- 5 Automotive D-Shaped Ribbed Rubber Weather Stripping keeps its shape even after years of service
- 6 Convenient attachment point secures materials and tools in pickup bed
- 7 **3-Point Latching System** helps protect against theft and weather
- ARMOR TUF[®] Powder Coat Protection

RECOMMENDED ACCESSORIES

Adjustable Shelf Accessory (pg. 15)









UNMATCHED PROTECTION SUPER-SIDE BOXES

SUPER-SIZE YOUR STORAGE

Super-Side versions of the WEATHER GUARD® Hi-Side are available-whether you choose the steel or diamond plate aluminum version—with all of the same features that the Hi-Sides offer. A Super-Side version of the steel Hi-Side is available, providing an extra 2 inches of height and 3 inches of depth. A Jumbo Super-Side version of the steel Hi-Side is also available, with 6 more inches of width and 6 more inches of height for a whopping 21.4 cubic feet capacity. An extralarge Super-Side version of the aluminum Hi-Side is available, too, with an extra 2 inches of height and 3 inches of depth.



ALUMINUM DIAMOND PLATE

Clear ARMOR TUF®

Powder Coat



Textured Matte Black ARMOR TUF® Powder Coat

Gloss Black ARMOR TUF®

STEEL



Brite White ARMOR TUF® Powder Coat

Choice Options: X = 0 (Clear) or X = 3 (Brite White) or X = 5 (Gloss Black) or X = 52 (Textured Black)

weather quard.



UNMATCHED PROTECTION GULL WING BOXES

GULL WING BOX KEY FEATURES

- 1 EXTREME PROTECTION[™] LOCK tamper-resistant retracting lock helps protect against break-ins
- 2 Two independent covers access from either side of truck
- Dual Stage Automotive Rotary Latch and Heavy Duty Looped Strikers provide extreme security
- 4 Heavy Duty C-Channel **Reinforced Lid Construction** for maximum durability
- 5 Automotive D-Shaped Ribbed **Rubber Weather Stripping** keep its shape even after years of service
- 6 ARMOR TUF® Powder Coat Protection

FULL-SIZE STANDARD

181

FULL-SIZE EXTRA WIDE

15.3 CUBIC FEET

181/

711/2

11.3 CUBIC FEET

Heavy Gauge Five Piece Welded Construction puts strength where it is needed most



UNMATCHED PROTECTION **ALL PURPOSE CHESTS**

Automotive D-Shaped **Ribbed Rubber** Heavy Duty C-Channel 90º Cover Reinforced Lid Construction Weather Stripping Opening 2 5 3 Unique 4 Offset Hinges Sliding 6 Steel Tray 1 EXTREME **PROTECTION**[™] LOCK

LIFETIME LIMITED

A LOW-RIDER WORK HORSE

Maximize your visibility with All-Purpose chests that sit below the bedrail, accommodating tonneau covers and lids. An angled body design allows the chest to fit in fifth-wheel trailer configurations. The cover opens to 90° for maximum access using a unique offset hinge design that still allows installation flush against the truck cab. For durability, they're built of steel or diamond plate aluminum and finished with ARMOR TUF® Powder Coat

ALUMINUM DIAMOND PLATE

Clear ARMOR TUF®





Powder Coat



Choice Options: X = 0 (Clear) or X = 3 (Brite White) or X = 5 (Gloss Black) or X = 52 (Textured Matte Black)

ALL PURPOSE CHESTS KEY FEATURES

- 1 EXTREME PROTECTION[™] LOCK tamper-resistant retracting lock helps protect against break-ins
- **2** 90^o Cover opening for easy access
- 3 Heavy Duty C-Channel Reinforced Lid Construction for maximum durability
- 4 Unique Offset Hinges allows chest to lie flat against truck
- 5 Automotive D-Shaped Ribbed Rubber Weather Stripping keeps its shape even after years of service
- 6 Sliding Steel Tray all chests except compact

WEATHERGUARD.COM

STEEL

Brite White ARMOR TUF®

Powder Coat Gloss Black

ARMOR TUF®

Powder Coat

<u>weather</u>



TRUCK BOXES - CHESTS

UNMATCHED PROTECTION WHEEL WELL BOXES




LIFETIME LIMITED

MAKING USE OF SPACE AROUND THE WHEEL WELLS

WEATHER GUARD® has figured out a way to make use of otherwise unutilized truck bed space above and behind the wheel wells with these uniquely shaped boxes. They establish a great location for storing small parts and hand tools to which you often need quick, easy access. They're constructed of either steel or aluminum protected with an ARMOR TUF® Powder Coat Wheel Well Boxes leave plenty of room in the truck bed for hauling around your weekend toys.

weather quard.



WHEEL WELL BOX KEY FEATURES

- EXTREME PROTECTION[®] LOCK tamper-resistant retracting lock helps protect against break-ins
- 2 90° Cover opening for easy access
- 3 Heavy Duty C-Channel Reinforced Lid Construction for maximum durability
- 4 Automotive D-Shaped Ribbed Rubber Weather Stripping keeps its shape even after years of service
- 5 ARMOR TUF® Powder Coat Protection

TRUCK BOX ACCESSORIES

KEEP YOUR TOOLS AND EQUIPMENT ORGANIZED AND EASY TO ACCESS

STEEL DIVIDER TRAY

617 – 26¹/2"L × 14"W *Ship Weight: 14 Lbs.*

FITS: 114-X-01, 115-X-01, 116-X-04, 117-X-04, 684-X-01, 685-X-01



TRAYS

200-3 – 41¹/2"L x 9¹/2"W *Ship Weight: 17 Lbs.* **202-3** – 24"L x 9¹/2"W *Ship Weight: 12 Lbs.*

16-gauge steel with adjustable dividers; bolts to back wall of cabinet.



Shown in Hi-Side Box

STEEL DIVIDER TRAY

615 – 19¹/4"L × 14"W *Ship Weight: 14 Lbs.*

FITS: 121-X-04, 123-X-04, 124-X-01, 126-X-04, 127-X-04, 128-X-04, 131-X-04, 136-X-04, 154-X-04, 156-X-04, 654-X-01, 655-X-01, 664-X-01, 665-X-01, 674-X-01, 675-X-01



TRUCK BOX FIT GUIDE

Coating Choice Options: X=0 (Clear) or X=3 (Brite White) or X=5 (Gloss Black) or X=6 (Gunmetal Gray) or X=52 (Textured Black). Not all coating choices are available on all models.

			5' BED	6' BED	5½' BED	6½' BED	8' BED	5½' BED	6' BED	8' BED	5' BED	6' BED	5½' BED	6½' BED	8' BED
SADDLE BOXES	ALUM	STEEL	CHEVI COLO	-	SI	HEVROLE LVERAD /2500/3	0		0DGE RA 0/2500/3		FO RAN	RD GER		FORD F150*	
FULL-SIZE		116- <mark>X</mark> -04			•	•	•	٠	•	•			•	•	•
EXTRA WIDE	117- <mark>X</mark> -04				•	•	•	•	•	•			•	•	•
FULL-SIZE DEEP		128- <mark>X</mark> -04				•	•			•				•	•
	123- <mark>X</mark> -04					•	•			•				•	•
FULL-SIZE		126- <mark>X</mark> -04			•	•	•	•	•	•			•	•	•
STANDARD	127- <mark>X</mark> -04				•	•	•	•	•	•			•	•	•
FULL-SIZE		120- <mark>X</mark> -04			•	•	•	•†	•	•			•	•	•
LOW-PROFILE	121- <mark>X</mark> -04				•	•	•	•†	•	•			•	•	•
COMPACT – DEEP	137- <mark>X</mark> -04		•	•							•	•			
COMPACT -		156- <mark>X</mark> -04	•	•							•	•			
STANDARD	154- <mark>X</mark> -04		•	•							•	•			
COMPACT - LOW-PROFILE	131- <mark>X</mark> -04		•	•							•	•			
GULL WING BOXES															
FULL-SIZE		115-3-01			•	•	•	•	•	•			•	•	•
EXTRA WIDE	114- <mark>X</mark> -01				•	•	•	٠	•	•			•	•	•
FULL-SIZE		125- <mark>X</mark> -01			•	•	•	٠	•	•			•	•	•
STANDARD	124- <mark>X</mark> -01				•	•	•	٠	•	•			•	•	•
ALL-PURPOSE CHESTS															
COMPACT		645- <mark>X</mark> -01	•	•	•	•	•	•	•	•	•	•	•	•	•
	644- <mark>X</mark> -01		•	•	•	•	•	•	•	•	•	•	•	•	•
FULL/COMPACT		655-3-01				•	•			•				•	•
	654- <mark>X</mark> -01					•	•			•				•	•
FULL-SIZE		665- <mark>X</mark> -01								•					•
STANDARD	664- <mark>X</mark> -01									•					•
FULL/COMPACT		675-3-01			•	•	•		•	•			•	•	•
	674- <mark>X</mark> -01				•	•	•		•	•			•	•	•
FULL-SIZE		685-3-01								•					•
EXTRA WIDE	684- <mark>X</mark> -01									•					•

Newer truck models available with aluminum beds are compatible with the WEATHER GUARD® truck boxes and chests in the table. *

Follow installation instructions for mounting to aluminum beds and use mounting components included with the truck box.

Does not fit Ram Classic or 2018 & older models



6 ³ /4' BED	8' BED	5' BED	6' BED	5½' BED	6½' BED	8' BED	5' BED	6' BED	5½' BED	6½' BED	8' BED	5' BED	6' BED	5½' BED	6½' BED	8' BED
FORD SUI F-250/	PER DUTY /F-350	GN CAN	MC IYON		MC SIERF)/2500/3		NIS FROM	SAN NTIER		NISSAN TITAN		TOY TAC			TOYOTA TUNDRA	
•	•			•	•	•			•	•	•			•	•	•
•	•			•	٠	•			•	•	•			•	•	•
•	•				•	•			•	•	•			•	•	•
•	•				•	•			•	•	•			•	•	•
•	•			•	•	•			•	•	•			•	•	•
•	•			•	•	•			•	•	•			•	•	•
•	•			•	•	•			•	•	•			•	•	•
•	•			•	٠	•			•	•	•			•	•	•
		•	•				٠	•								
		•	•				•	•								
		•	•													
		•	•				•	•								
•	•			•	•	•			•	•	•					•
•	•			•	•	•			•	•	•				•	•
•	•			•	•	•			•	•	•				•	•
•	•	•	•	•	•	•	•	•	•	•	•			•	•	•
•	•	•	•	•	•	•	•	•	•	•	•			•	•	•
•	•				•	•				•	•					•
•	•				•	•				•	•					•
											•					
•	•			•	•	•			•	•	•				•	
•	•			•	•	•			•	•	•				•	•
	•			•	•	•			•	•	•				•	
											•					
											•					Ĺ

NOTE: THIS GUIDE APPLIES TO 2018 OR NEWER MODEL YEAR VEHICLES. YOU SHOULD MEASURE YOUR VEHICLE TO MAKE SURE YOUR WEATHER GUARD® TRUCK BOX WILL FIT.

UNMATCHED PROTECTION ALUMINUM HEADACHE RACK



LIFETIME LIMITED

ALUMINUM HEADACHE RACK

There's only one brand of headache rack worthy of playing wingman to your WEATHER GUARD[®] truck box. Just as durable and reliable, WEATHER GUARD[®] headache racks are built to protect your cab and your professional reputation. They come in four classic designs fitting of the professional you are, and most importantly they're equipped with the WEATHER GUARD[®] badge. The same one on your truck box that proudly states you have tools of your trade worth protecting.

WHEREVER THE JOB TAKES YOU, WE'RE RIGHT BEHIND YOU.



Adjusts for roof height or taller for transporting materials

Included parts

4 Channel slot for accessories Channel to install light brackets and attachment points



ALUMINUM HEADACHE RACK/ ACCESSORIES

OPEN FRAME

11902-52-01

Includes: (1) Rack, (2) Weldment Brackets, (2) Base Brackets, (1) Bolt Kit





Ship Weight: 31 Lbs.

HEX

11906-52-01

Includes: (1) Rack, (2) Weldment Brackets, (2) Base Brackets, (1) Bolt Kit



HALF BAR

11908-52-01

Includes: (1) Rack, (2) Weldment Brackets, (2) Base Brackets, (1) Bolt Kit 66 in x 25.5 in x 3.6 in



Ship Weight: 38.5 Lbs.


LOUVERED

11904-52-01

Includes: (1) Rack, (2) Weldment Brackets, (2) Base Brackets, (1) Bolt Kit 66 in x 25.5 in x 3.6 in



ACCESSORIES



UNMATCHED PROTECTION ALUMINUM HEADACHE RACK FITMENT

		5' BED	6' BED	5½' BED	6½' BED	8' BED	5½' BED	6' BED	8' BED	5' BED	6' BED	5½' BED	6½' BED	8' BED	6³¼' BED	8' BED
F	PART NUMBER	CHEVI COLO	ROLET RADO	S	HEVROLE ILVERAD)/2500/3	0		0DGE RA 0/2500/3		FO RAN			FORD F150		DL	SUPER JTY /F-350
	11902-52-01 OPEN FRAME			•	•	•	•	•	•			•	•	•	•	•
	11908-52-01 HALF BAR			•	•	•	•	•	•			•	•	•	•	•
	11904-52-01 LOUVERED			•	•	•	•	•	•			•	•	•	•	•
	11906-52-01 HEX			•	•	•	•	•	•			•	•	•	•	•

	5' BED	6' BED	5½' BED	6½' BED	8' BED	5' BED	6' BED	5' BED	6' BED
PART NUMBER		MC IYON		MC SIERF 0/2500/3		NIS: FRON	SAN ITIER	TOY TAC	
11902-52-01 OPEN FRAME			•	•	•				
11908-52-01 HALF BAR			•	•	•				
11904-52-01 LOUVERED			•	•	•				
11906-52-01 HEX			•	•	•				









BED-RAIL MOUNT SOLUTIONS



1 No-Drill Installation Installs in less than an hour (15-20 minutes to assemble/30 minutes to install)

2 Welded Airfoil Included

No need to purchase an accessory, helps deflect wind

3 Maximum Tie Down Points 4 areas allow for additional tie down points on rack legs for items on rack



NO-DRILL INSTALL



WELDED AIRFOIL INCLUDED



MAXIMUM TIE DOWN POINTS




- 3 Models Compact Standard, Full Size Standard, Full Size Heavy Duty
- 1,000 lb. weight rated (evenly distributed) for standard racks. 1,700 lb. weight rated (evenly distributed) for heavy duty rack
- rated (evenly distributed) for heavy duty rack

Welded Tie-Down Loops — 4 per rack

No-Drill Mounting Feet

BED-RAIL MOUNT SOLUTIONS STEEL TRUCK RACK



weather quard. j**m**

BED-RAIL MOUNT SOLUTIONS STEEL SERVICE BODY RACK

KEY FEATURES


WEATHER GUARD[®] Truck Equipment offers the same quality and durability on our Steel Service Body Rack as on our other field-proven racks.

> NOTE: Do not mount on aluminum, plastic, fiberglass or top-opening service body trucks. Mount only on steel service bodies.

STEEL SERVICE BODY RACK LOAD CAPACITY 1000 LBS.

1225

For full-size steel service bodies. INCLUDES: legs, side rails and cross members. Ship Weight: 233 Lbs.





ALUMINUM SERVICE BODY RACK

KEY FEATURES

- 1 The WEATHER GUARD® Aluminum Service Body Rack is designed to make loading or unloading a ladder a "one-person" job.
- 2 Front post adjusts in height and swivels to allow for easy positioning of ladder during removal or placement
- 3 Both posts have a wide mounting

NOTE: Do not mount on an aluminum plastic or fiberglass service body. Mount on steel service body only.

ALUMINUM SERVICE BODY RACK LOAD CAPACITY 200 LBS.

1425-3

For full-size and compact service body trucks on both driver and passenger sides. Front post adjusts 21¾e".35¾e" Rear post is stationary at 21¾e" (shown left) Front post adjusts 16"-30" Rear post is stationary at 16¼" (shown right) Ship Weight: 22 Lbs.


ACCESSORIES

ALUMINUM CONDUIT CARRIER

Keep your conduit safe, secure and clean with our lightweight and durable Conduit Carrier.

237

Conduit Carrier Ship Weight: 40 Lbs.



238 6" Extension Ship Weight: 4 Lbs.



MAKE-YOUR-OWN CONDUIT CARRIER

239

24

PVC not included. Separately purchase a section of standard 6" PVC (9ASTM D2665) plastic drain pipe. Coordinate the length of the PVC with the length of conduit you'll be carrying.

Ship Weight: 4 Lbs.



WEATHERGUARD.COM

BED-RAIL MOUNT SOLUTIONS WEEKENDER® TRUCK RACK

KEY FEATURES

- 1 Easy on, easy off for that occasional need to carry a ladder or long material.
- 2 Uprights should be removed when not in use.
- 3 Adjustable, tubular steel pockets bolt into the side of the truck bed.
- 4 set-screw holds the upright in place.
- 5 Load bar is adjustable to accommodate the varied widths of ladders.
- Constructed of 1¹/₂" x 1¹/₂",
 14-gauge wall steel tubing.
- 7 Joints are fully arc-welded.
- 8 Mounting bracket allows WEEKENDER[®] Truck Rack to be installed on driver side or curb side of truck.
 - If installing to an aluminum bed, please purchase the 70322 Aluminum Upfit Kit.



HORIZONTAL LOAD CAPACITY 250 LBS.

1450

For '95 and newer pickups, Chevy, Dodge, Ford and Toyota Tundra.

Ship Weight: 56 Lbs.



TRUCK RACK FIT GUIDE


					TRUCK RACKS	;
			1450	1175-52-02	1275-52-02	1345-52-02
BRAND	MODEL	BED LENGTH	WEEKENDER HORIZONTAL RACK	HEAVY DUTY FULL SIZE STEEL TRUCK RACK -1.700 LB. WEIGHT CAPACITY	FULL SIZE STEEL TRUCK RACK - 1,000 LB. WEIGHT CAPACITY	COMPACT STEEL TRUCK RACK - 1,000 LB. WEIGHT CAPACITY
CHEVROLET	COLORADO	5'				•
CHEVROLET	COLORADO	6'				•
CHEVROLET	SILVERADO 1500	5-1/2'			•	
CHEVROLET	SILVERADO 1500	6'			•	
CHEVROLET	SILVERADO 1500	8'			•	
CHEVROLET	SILVERADO 2500/3500	6'		•	•	
CHEVROLET	SILVERADO 2500/3500	8'		•	•	
DODGE RAM	1500	5-1/2'	٠		•	
DODGE RAM	1500	6'	٠		•	
DODGE RAM	1500	8'	٠		•	
DODGE RAM	2500/3500	6'	٠	•	•	
DODGE RAM	2500/3500	8'	٠	•	•	
FORD	RANGER	5'	٠			•
FORD	RANGER	6'	٠			•
FORD	F-150	5-1/2'	٠		•	
FORD	F-150	6'	٠		•	
FORD	F-150	8'	٠		•	
FORD	SUPER DUTY	6-1/2'	٠	•	•	
FORD	SUPER DUTY	8'	•	•	•	
GMC	CANYON	5'				•
GMC	CANYON	6'				•
GMC	SIERRA 1500	5-1/2'			•	
GMC	SIERRA 1500	6'			•	
GMC	SIERRA 1500	8'			•	
GMC	SIERRA 2500/3500	6'		•	•	
GMC	SIERRA 2500/3500	8'		•	•	
NISSAN	FRONTIER	4-1/2'				•
NISSAN	FRONTIER	6'				•
NISSAN	TITAN	5-1/2'			•	
NISSAN	TITAN	6-1/2'			•	
ΤΟΥΟΤΑ	ТАСОМА	5'				
ΤΟΥΟΤΑ	ТАСОМА	6'				
ΤΟΥΟΤΑ	TUNDRA	6'	٠		•	
ΤΟΥΟΤΑ	TUNDRA	8'	٠		•	

PROTECT-A-RAIL® STEEL CAB PROTECTORS/ACCESSORIES

FOR FULL-SIZE PICKUPS

1908

Heavy-duty cab protector. (Requires separate purchase of Installation Kit.)




FOR FULL-SIZE PICKUPS

1906-3-02 (white)

1906-5-02 (black) Punched steel screen cab protector.

(Requires separate purchase of Installation Kit.)



ACCESSORIES FOR MOUNTING WARNING LIGHTS & LADDERS FOR 1908

1920

9¹/2" × 17" rectangular base. *Ship Weight: 6 Lbs.*



1919 7¹/2" side mount round base. *Ship Weight: 3 Lbs.*



INSTALLATION KITS FOR FULL SIZE TRUCKS

MODEL	INNER BED WIDTH DIMENSIONS	COLOR
1912-3-02	61.5" - 62.0"	White
1912-5-02	61.5" - 62.0"	Black
1913-3-02	62.0" - 62.5"	White
1913-5-02	62.0" - 62.5"	Black
1915-3-02	62.5" - 63.0"	White
1915-5-02	62.5" - 63.0"	Black
1916-3-02	63" - 63.5"	White
1916-5-02	63" - 63.5"	Black
1921-3-02	63.5" - 64.0"	White
1921-5-02	63.5" - 64"	Black
1925-3-02	65" - 65.5"	White
1925-5-02	65" - 65.5"	Black






INSTALLATION KITS FOR COMPACT TRUCKS

MODEL	FITMENT	COLOR
1927-5-01	Chevy Colorado	Black
10-6-1261	GMC Canyon	Black

IN-BED STORAGE PACK RAT[®] DRAWER UNITS



PACK RAT® DRAWER UNIT KEY FEATURES

- **14-Gauge steel top and sides** allows 750 Lb. load rating
- 2 Drawer load rating 425 Lbs. evenly distributed
- **3 12-Gauge steel skids** for extra strength
- 4 Anti-skid strips provide traction for work boots
- 5 One-Touch[®] latch assembly easy, one-hand operation
- 6 Roll-out drawer easy access and organization
- 7 Limited Lifetime Warranty unparalleled quality


WARRANTY

HEAVY-DUTY STORAGE KEEPS BED SPACE OPEN AND YOU ORGANIZED

The Heavy-Duty PACK RAT[®] drawer units can be mounted inside the rear of the vehicle and give you easy access to large tools and supplies while leaving floor space open. These rugged units are constructed of 14-gauge steel on the top and sides, giving you a 750 pound load rating and placing them among the sturdiest items in the back of your truck.


weather quard

STANDARD DRAWER UNIT 305-3



1 COMPARTMENTS, 6 DIVIDERS. Each Drawer Compartment: 5"H x 9¾"W x 45"L Ship Weight: 106 Lbs.


STANDARD DRAWER UNIT 306-3



2 COMPARTMENTS, 12 DIVIDERS. Each Drawer Compartment: 5"H x 93/4"W x 45"L Ship Weight: 179 Lbs.

IN-BED STORAGE PACK RAT® DRAWER UNITS


STANDARD DRAWER UNIT 307-3



STANDARD DRAWER UNIT 308-3 (white) 308-5 (black)



STANDARD DRAWER UNIT 335-3



3 COMPARTMENTS, 18 DIVIDERS. Each Drawer Compartment: 5"H x 9¾"W x 45"L *Ship Weight:* 247 Lbs. 4 COMPARTMENTS, 24 DIVIDERS. Each Drawer Compartment: 5"H x 9¾"W x 45"L Ship Weight: 322 Lbs. 1 COMPARTMENT, 6 DIVIDERS. Each Drawer Compartment: 8¹/₂"H x 9³/₄"W x 45"L Ship Weight: 130 Lbs.

STANDARD DRAWER UNIT 336-3



2 COMPARTMENTS, 12 DIVIDERS. Each Drawer Compartment: 8½"H x 934"W x 45"L Ship Weight: 210 Lbs.

STANDARD DRAWER UNIT 337-3




3 COMPARTMENTS, 18 DIVIDERS. Each Drawer Compartment: 8½"H x 9¾"W x 45"L Ship Weight: 294 Lbs.

STANDARD DRAWER UNIT 338-3 (white) 338-5 (black)



4 COMPARTMENTS, 24 DIVIDERS. Each Drawer Compartment: 8½"H x 9¾"W x 45"L Ship Weight: 383 Lbs.

IN-BED STORAGE TRANSFER TANKS



TRANSFER TANK KEY FEATURES

- Vented filler cap prevents excessive pressure build-up
 Welded Interior Baffle Design reduces fuel movement
 Reinforced with 12 gauge steel except 359 model does not require reinforcement for optimal performance
 Isolation mounting reduces road vibration unparalleled quality
 - **5** C-channel check support for trouble-free operation
 - **6** Limited Lifetime Warranty for peace of mind

FOR TRANSPORTING DIESEL FUEL

WEATHER GUARD® Transfer tanks offer a safer mode of transporting diesel fuel to your jobsite and beyond. L-shaped tanks are designed to be used with Gull Wing Boxes and Saddle Boxes only; rectangular tanks are designed for full-size pickup trucks. Ranging in capacity form 50-110 gallons, WEATHER GUARD® Transfer Tanks feature full arc-welded, heavy 14-gauge steel construction for long-lasting durability. The interior baffle design reduces fuel movement and provides extra tank reinforcement. The lockable vented filler cap prevents excessive pressure build-up and the threaded filler neck accepts standard 2" threaded pipe. Installation is easy using the heavy-duty lifting loops and secure plate-steel flange bed mounting points. All tanks are protected with Brite White or Gloss Black ARMOR TUF® Powder Coat Finish for years of durability, and backed by a Limited Lifetime Warranty.



LIFETIME LIMITED

WARRANTY

WEATHERGUARD.COM

IN-BED STORAGE TRANSFER TANKS



UNDERBED STORAGE STEEL UNDERBED BOXES



WIDE SELECTION OF SIZES FOR YOUR NEEDS

WEATHER GUARD[®] Steel Underbed Boxes come in three size groupings: compact, standard and jumbo. A Brite White or Gloss Black ARMOR TUF[®] Powder Coat enhances the durability of these boxes' heavy-gauge steel. Steel Underbed Boxes are supplied with an aluminum door and hinge for superior resistance to rust and corrosion.

LIFETIME LIMITED **ALUMINUM DOOR** and hinge 7 WARRANTY COMPACT UNDERBED 2.3 CUBIC FEET 525-5-02 Ship Weight: 45 Lbs. $14^{1/2}$ Door Opening Measures: 10½"H × 22½"W 12^{3} 241/. STANDARD UNDERBED 4.5 CUBIC FEET 5.6 CUBIC FEET 6.7 CUBIC FEET 9.1 CUBIC FEET **11.2 CUBIC FEET** 524-5-02 530-5-02 536-5-02 (Shown) 548-5-02 560-5-02 -Ship Weight: 45 Lbs. Ship Weight: 70 Lbs. Ship Weight: 82 Lbs. Ship Weight: 100 Lbs. Ship Weight: 135 Lbs. 181/。" (241/8"L × 181/4"W × 181/8"H) (301/8"L × 181/4"W × 181/8"H) (481/8"L × 181/4"W × 181/8"H) (601/8"L × 181/4"W × 181/8"H) Door Opening Measures: **Door Opening Measures:** Door Opening Measures: Door Opening Measures: **Door Opening Measures:** 141/5"H × 221/5"W 141/2"H × 281/2"W 141/2"H × 343/4"W 141/2"H × 461/4"W 141/2"H × 581/4"W 18 36% JUMBO UNDERBED 12.1 CUBIC FEET 16.2 CUBIC FEET 20.2 CUBIC FEET 538-5-02 550-5-02 562-5-02 0 241/8 Ship Weight: 111 Lbs. Ship Weight: 145 Lbs. Ship Weight: 181 Lbs. (365%"L × 241/4"W × 241/8"H) (481/8"L × 241/4"W × 241/8"H) (601/8"L × 241/4"W × 241/8"H) **Door Opening Measures:** Door Opening Measures: Door Opening Measures: 241/4 201/2"H × 341/4"W 201/2"H × 461/4"W 201/2"H × 581/4"W 365/8"

STEEL UNDERBED BOX KEY FEATURES

- Gutter design & weather stripping easy and positive door closure that protects against the elements
- 2 **3-point latching system** for optimum security and weather resistance
- 3 Stainless Steel D Handle for easy and positive door closure, and added protection against break-ins
- 4 Tool-less quick release drop down door full and easy access, adjusts from 90° to 180°
- 5 Automotive D-Shaped Ribbed Rubber Weather Stripping keeps its shape even after years of service
- 6 ARMOR TUF® Powder Coat Protection

weather oua

WEATHERGUARD.COM

UNDERBED STORAGE ALUMINUM UNDERBED BOXES



DURABILITY AT LIGHTER WEIGHT

WEATHER GUARD[®] Aluminum Underbed Boxes are available in compact, standard and jumbo versions to meet your specific needs. Clear or Gloss Black ARMOR TUF® Powder Coat finishes extend the ruggedness of the diamond plate aluminum.





6.5 CUBIC FEET

636-0-02 (Shown)

Ship Weight: 47 Lbs.

13½"H × 34¼"W

(365/8"L × 18"W × 18"H)

Door Opening Measures:

636-5-02

the weather.



TOOL-LESS OUICK **RELEASE DROP** DOWN DOOR

WEATHER STRIPPING STAINLESS STEEL protects contents from **D HANDLE** With Drill-resistant



STANDARD UNDERBED

Powder Coat Protection

ALUMINUM

Gutter design & weather stripping

easy and positive door closure that

for easy and positive door closure, and

added protection against break-ins

Full and easy access, adjusts from

protects against the elements

3-point latching system

weather resistance

3 Stainless Steel D Handle

for optimum security and

4 Tool-less quick release drop

5 Automotive D-Shaped Ribbed **Rubber Weather Stripping** keeps its shape even after

down door

90º to 180º

years of service

6 ARMOR TUF®



4.3 CUBIC FEET 627-0-02

Ship Weight: 35 Lbs. (241/8"L × 181/4"W × 18"H)

Door Opening Measures: 131/2"H × 191/4"W

8.6 CUBIC FEET

648-0-02 648-5-02

> Ship Weight: 62 Lbs. (481/8"L × 18"W × 18"H)

Door Opening Measures: 131/2"H × 431/4"W

5.4 CUBIC FEET 631-0-02

631-5-02

Ship Weight: 42 Lbs. (301/8"L × 18"W × 18"H)

Door Opening Measures: 13½"H × 25¼"W

11.2 CUBIC FEET

660-0-02 660-5-02

Ship Weight: 135 Lbs. (601/s"L × 18"W × 18"H)

Door Opening Measures: 131/2"H × 551/4"W

JUMBO UNDERBED



12.2 CUBIC FEET

638-0-02

Ship Weight: 65 Lbs. (365%"L × 24"W × 24"H)

Door Opening Measures: 191/2"H × 313/4"W

16 CUBIC FEET

650-0-02

Ship Weight: 81 Lbs. (481/s"L × 24"W × 24"H)

Door Opening Measures: 19½"H × 43¼"W

20 CUBIC FEET

662-0-02 (Shown)

Ship Weight: 100 Lbs. (601/8"L × 24"W × 24"H)

Door Opening Measures: 19½"H × 55¼"W







SECURE EVERY CHALLENGE

INDUSTRY-LEADING SECURITY

UNMATCHED DURABILITY 5 RELIABILITY

MAXIMUM ORGANIZATION 6 PRODUCTIVITY



LIMITED LIFETIME WARRANTY

WERNER CO. (the Manufacturer) warrants to the original purchaser, only, that WEATHER GUARD[®] truck products (the "WEATHER GUARD Product") will be free from defects in material and workmanship from the date of purchase and continuing for the expected lifetime of the WEATHER GUARD Product. This warranty applies to all WEATHER GUARD product except E-LINE[®] and Defender Series. Please call our customer service department toll free at 1.800.456.7865 with any questions or comments.

DO NOT use these products for storing or transporting flammables, explosives, hazardous materials or waste, such as gasoline, solvents, gun powder, dynamite, gases or any tanks, torches or gas powered equipment. These products are intended and safe for storing and transporting small tools and other non-combustible, non-flammable materials. Any modification made to, or unintended use of, these products may create a dangerous condition causing death, serious bodily injury or property damage.

NOTICE

Any modification or unintended use of these products shall immediately void all manufacturers warranties. Manufacturer disclaims all liability for injuries to persons or property resulting from any modification to, or unintended use of these products.

For U.S. Terms and Conditions of Sale please reference form number 78-1117. For Canada Terms and Conditions of Sale please reference form number 78-1145.

FOR MORE INFORMATION:

US - visit WEATHERGUARD.COM or call 800.456.7865 CANADA - visit WEATHERGUARD.CA or call 888.562.2251

